

Search History

STN  
(HCAPLW, INSPEC, JAP10, USPTA15)  
(1/28/2008)

=> d 17 1-2 abs,bib

L7 ANSWER 1 OF 2 HCAPLW COPYRIGHT 2008 ACS on STN  
AB Methods for treating nominally pure crystals having nonlinear optical properties, especially a lithium niobate crystal or lithium tantalate crystal, and which contains foreign atoms which cause absorption of light (particularly Fe<sup>2+</sup> ions) in a residual concentration of <20 ppm in which a thermal oxidation causes the atoms to attain a higher oxidation state (e.g., Fe<sup>3+</sup>) while the excess electrons are eliminated from the crystal by applying a predetd. voltage are described in which the crystal is heated at a rate that increases by <3° per min to a maximum temperature that lies above a predefined threshold value and below the Curie temperature of the crystal, the threshold value being defined by the temperature at which the migration of ions contained in the crystal (particularly Li<sup>+</sup> ions) to the surface of the crystal ceases and being determined based on preceding tests on the same type of specifically doped reference crystals. Oxide nonlinear optical crystals treated as described above, and systems (e.g., frequency doublers and optical parametric oscillators) using the crystals are also described.

AN 2007:1143101 HCAPLW

DN 147:436353

TI Treatment of crystals for the prevention of optical damage

IN Buse, Karsten; Falk, Matthias; Woike, Theo

PA Deutsche Telekom A.-G., Germany

SO PCT Int. Appl., 27pp.

CODEN: PIXXD2

DT Patent

LA German

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007112719	A1	20071011	WO 2007-DE468	20070315
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, BH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

DE 102006016201 A1 20071011 DE 2006-102006016201 20060406

PRAI DE 2006-102006016201 A 20060406

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 2 OF 2 USPTFULL on STN

AB A method for the treatment of a crystal, such as a lithium niobate crystal or lithium tantalate crystal, having nonlinear optical properties. The crystal comprises foreign atoms which bring about specific absorption of radiated light. The foreign atoms are transformed into a lower valent state by means of oxidation. Electrons, which are released during oxidation, are discharged from the crystal with the aid of an external power source.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AN 2007:177187 USPTFULL

TI Treatment of crystals in order to avoid light-induced modifications of  
the refractive index  
IN Buse, Karsten, Bonn, GERMANY, FEDERAL REPUBLIC OF  
Falk, Matthias, Bonn, GERMANY, FEDERAL REPUBLIC OF  
Peithmann, Konrad, Bonn, GERMANY, FEDERAL REPUBLIC OF  
PI US 2007155004 A1 20070705  
AI US 2004-597199 A1 20040930 (10)  
WO 2004-DE2176 20040930  
20060714 PCT 371 date  
PRAI DE 2004-10200400210920040114  
DT Utility  
FS APPLICATION  
LREP DARBY & DARBY P.C., P. O. BOX 5257, NEW YORK, NY, 10150-5257, US  
CLMN Number of Claims: 12  
ECL Exemplary Claim: 1-11  
DRWN 2 Drawing Page(s)  
LN.CNT 317  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

=> d his

(FILE 'HOME' ENTERED AT 12:02:32 ON 18 JAN 2008)

FILE 'HCAPLUS, INSPEC, JAPIO, USPATFULL, USPATOLD, USPAT2' ENTERED AT  
12:02:48 ON 18 JAN 2008

L1 16607 S (CRYSTAL#) (8A) (NONLINEAR(8A)OPTIC?)  
L2 2987 S (FOREIGN(6A)ATOM#)  
L3 754 S (REMOV? OR ELIMINAT? OR RID? OR DECREAS?) (8A) (ELECTRON#(8A)CR  
L4 19859 S (LITHIUM(W)TITANATE OR LITAO3 OR LITHIUM(W)NIOBATE OR LINBO3)  
L5 614 S (CONVERT? OR ALTER? OR CHANG?) (8A) (ATOM#(6A)VALENC?)  
L6 1 S L1 AND L2 AND L3 AND L5  
L7 2 S L1 AND L2 AND L3 AND L4

=>

=> d 18 1-3 abs,bib

L8 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2008 ACS on STN  
AB Methods for treating nominally pure crystals having  
nonlinear optical properties, especially a lithium  
niobate crystal or lithium tantalate crystal,  
and which contains foreign atoms which cause  
absorption of light (particularly Fe<sup>2+</sup> ions) in a residual concentration of <20  
ppm in which a thermal oxidation causes the atoms to attain a higher oxidation  
state (e.g., Fe<sup>3+</sup>) while the excess electrons are eliminated from the  
crystal by applying a predetd. voltage are described in which the crystal  
is heated at a rate that increases by <3° per min to a maximum temperature  
that lies above a predefined threshold value and below the Curie temperature of  
the crystal, the threshold value being defined by the temperature at which the  
migration of ions contained in the crystal (particularly Li<sup>+</sup> ions) to the  
surface of the crystal ceases and being determined based on preceding tests on  
the same type of specifically doped reference crystals. Oxide  
nonlinear optical crystals treated as  
described above, and systems (e.g., frequency doublers and optical  
parametric oscillators) using the crystals are also described.  
AN 2007:1143101 HCAPLUS  
DN 147:436353  
TI Treatment of crystals for the prevention of optical damage  
IN Buse, Karsten; Falk, Matthias; Woike, Theo  
PA Deutsche Telekom A.-G., Germany  
SO PCT Int. Appl., 27pp.  
CODEN: PIXXD2  
DT Patent  
LA German  
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2007112719	A1	20071011	WO 2007-DE468	20070315
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW				
	RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, BH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	DE 102006016201	A1	20071011	DE 2006-102006016201	20060406
PRAI	DE 2006-102006016201	A	20060406		
RE.CNT	3	THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT			

L8 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2008 ACS on STN  
AB The invention relates to a method for the treatment of a crystal  
, in particular a lithium niobate crystal or  
lithium tantalate crystal, having nonlinear  
optical properties. The crystal comprises foreign  
atoms which cause specific absorption of radiated light. The  
foreign atoms are transformed into a lower valence state  
by oxidation brought on by, e.g., heat treatment and application of an elec.  
field. Electrons, which are released during oxidation, are discharged from  
the crystal with the aid of an external power source.  
AN 2005:673440 HCAPLUS  
DN 143:163625  
TI Treatment of crystals to avoid light-induced modifications of the

refractive index and nonlinear optical elements  
containing the crystals

IN Buse, Karsten; Falk, Matthias; Peithmann, Konrad

PA Deutsche Telekom A.-G., Germany

SO PCT Int. Appl., 22 pp.

CODEN: PIXXD2

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005068690	A1	20050728	WO 2004-DE2176	20040930
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	DE 102004002109	A1	20050811	DE 2004-102004002109	20040114
	EP 1706523	A1	20061004	EP 2004-786888	20040930
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK			
	JP 2007519951	T	20070719	JP 2006-548085	20040930
	US 2007155004	A1	20070705	US 2006-597199	20060714
PRAI	DE 2004-102004002109	A	20040114		
	WO 2004-DE2176	W	20040930		

RE.CNT 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 3 OF 3 . USPATFULL on STN

AB A method for the treatment of a crystal, such as a lithium niobate crystal or lithium tantalate crystal, having nonlinear optical properties. The crystal comprises foreign atoms which bring about specific absorption of radiated light. The foreign atoms are transformed into a lower valent state by means of oxidation. Electrons, which are released during oxidation, are discharged from the crystal with the aid of an external power source.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AN 2007:177187 USPATFULL

TI Treatment of crystals in order to avoid light-induced modifications of the refractive index

IN Buse, Karsten, Bonn, GERMANY, FEDERAL REPUBLIC OF  
Falk, Matthias, Bonn, GERMANY, FEDERAL REPUBLIC OF  
Peithmann, Konrad, Bonn, GERMANY, FEDERAL REPUBLIC OF

PI US 2007155004 A1 20070705

AI US 2004-597199 A1 20040930 (10)

WO 2004-DE2176 20040930

20060714 PCT 371 date

PRAI DE 2004-10200400210920040114

DT Utility

FS APPLICATION

LREP DARBY & DARBY P.C., P. O. BOX 5257, NEW YORK, NY, 10150-5257, US

CLMN Number of Claims: 12

ECL Exemplary Claim: 1-11

DRWN 2 Drawing Page(s)

LN.CNT 317

Day : Friday  
Date: 1/18/2008

Time: 12:31:49

# PALM INTRANET

## Inventor Name Search Result

Your Search was:

Last Name = BUSE

First Name = KARSTEN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>09260523</u>	6157470	150	02/25/1999	NON-VOLATILE HOLOGRAPHIC STORAGE IN DOUBLY-DOPED PHOTOREFRACTIVE MATERIAL	BUSE, KARSTEN
<u>09823173</u>	6844946	150	03/29/2001	TUNABLE HOLOGRAPHIC FILTER	BUSE, KARSTEN
<u>10006933</u>	6987907	150	12/04/2001	TUNABLE HOLOGRAPHIC DROP FILTER WITH QUASI PHASE-CONJUGATE FIBER COUPLING	BUSE, KARSTEN
<u>10006934</u>	6829067	150	12/04/2001	METHOD AND APPARATUS FOR IMPLEMENTING A MULTI-CHANNEL TUNABLE FILTER	BUSE, KARSTEN
<u>10006935</u>	Not Issued	161	12/04/2001	Integrated optical wavelength division multiplexing using a bench of channel waveguides	BUSE, KARSTEN
<u>10211768</u>	6894820	150	08/01/2002	NON-LINEAR INCREASE IN PHOTOSENSITIVITY OF PHOTOREFRACTIVE MATERIALS	BUSE, KARSTEN
<u>10252465</u>	Not Issued	161	09/23/2002	Efficient nonlinear optical polymers having high poling stability	BUSE, KARSTEN
<u>10541480</u>	Not Issued	30	09/05/2006	Increasing the resistance of crystals to optical damage	BUSE, KARSTEN
<u>*10597199</u>	Not Issued	30 <i>Applicants' Invention</i>	07/14/2006	Treatment of crystals in order to avoid light-induced modifications of the refractive index	BUSE, KARSTEN
<u>11004319</u>	7136206	150	12/03/2004	METHOD AND APPARATUS FOR IMPLEMENTING A MULTI-CHANNEL TUNABLE	BUSE, KARSTEN

				<b>FILTER</b>	
<a href="#">11092392</a>	Not Issued	161	03/29/2005	Holographic pump coupler and laser grating reflector	BUSE, KARSTEN
<a href="#">11093135</a>	Not Issued	71	03/29/2005	System and methods for spectral beam combining of lasers using volume holograms	BUSE, KARSTEN
<a href="#">11371506</a>	Not Issued	30	03/08/2006	Method and apparatus for implementing a multi-channel tunable filter	BUSE, KARSTEN
<a href="#">60076150</a>	Not Issued	159	02/26/1998	NON-VOLATILE HOLOGRAPHIC STORAGE IN DOUBLY-DOPED CRYSTALS	BUSE, KARSTEN
<a href="#">60193583</a>	Not Issued	159	03/30/2000	Tunable holographic add-drop multiplexer	BUSE, KARSTEN
<a href="#">60251245</a>	Not Issued	159	12/04/2000	Tunable holographic drop filter with quasi phase-conjugate fiber coupling	BUSE, KARSTEN
<a href="#">60251350</a>	Not Issued	159	12/04/2000	Multi-channel holographic tunable filter with access head	BUSE, KARSTEN
<a href="#">60251352</a>	Not Issued	159	12/04/2000	Integrated optical wavelength division multiplexer using a bench of channel waveguides	BUSE, KARSTEN
<a href="#">60558008</a>	Not Issued	159	03/31/2004	System and methods for holographic beam shaping	BUSE, KARSTEN
<a href="#">60558212</a>	Not Issued	159	03/30/2004	System and methods for refractive and diffractive volume holographic elements	BUSE, KARSTEN
<a href="#">60558331</a>	Not Issued	159	03/30/2004	Holographic pump coupler and laser grating reflector	BUSE, KARSTEN


Inventor Search Completed: No Records to Display.

<b>Search Another: Inventor</b>	<b>Last Name</b>	<b>First Name</b>	<input type="button" value="Search"/>
	<input type="text" value="Buse"/>	<input type="text" value="Karsten"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Friday  
Date: 1/18/2008

 **PALM INTRANET**

Time: 12:32:12

**Inventor Name Search Result**

Your Search was:

Last Name = FALK

First Name = MATTHIAS

Application#	Patent#	Status	Date Filed	Title	Inventor Name
*10597199	Not Issued	30 <i>Applicants' Invention</i>	07/14/2006	Treatment of crystals in order to avoid light-induced modifications of the refractive index	FALK, MATTHIAS
11643612	Not Issued	30	12/21/2006	Method and device for pulverizing bulk material containing plastic	FALKENBERG, MATTHIAS

**Inventor Search Completed: No Records to Display.**

**Search Another: Inventor**

<b>Last Name</b>	<b>First Name</b>
<input type="text" value="Falk"/>	<input type="text" value="matthias"/>
<input type="button" value="Search"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Friday  
Date: 1/18/2008

Time: 12:32:49

 **PALM INTRANET****Inventor Name Search Result**

Your Search was:

Last Name = PEITHMANN

First Name = KONRAD

Application#	Patent#	Status	Date Filed	Title	Inventor Name
*10597199	Not Issued	30 Applicants' Invention	07/14/2006	Treatment of crystals in order to avoid light-induced modifications of the refractive index	PEITHMANN, KONRAD

**Inventor Search Completed: No Records to Display.**

<b>Search Another: Inventor</b>	<b>Last Name</b>	<b>First Name</b>	<input type="button" value="Search"/>
	<input type="text" value="Peithmann"/>	<input type="text" value="Konrad"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)